



SUNIK
International Pvt. Ltd.
MOTORCYCLE CATALOGUE 2015-16
WWW.SUNIKMOTORS.COM

Experience the real ride...!



CUB/SCOOTER



OFF-ROAD MOTORCYCLE



STREET MOTORCYCLE



TRICYCLE



COMPANY PROFILE

SUNIK MOTORS is part of Sunik International Private limited having experience of 30 years in the field of international trade and is expert in business of Motorcycle and its components.

The company has revenue of USD 50 Million having its business in China, Latin America, Africa and India.


The Motorcycle division of Sunik International, with its Indian origin & centres of quality assurance in China also has overseas presence in Hong Kong, India, Peru and Ecuador. Sunik Motors caters to all segments of Motorcycles and has capabilities to meet requirement of full range of Motorcycles and Motorcycles components like tire, tubes, batteries, chain, sprocket, helmets etc.

Our team is constantly working to make improvements, enhancing durability and overall performance of all our products. With a relentless commitment to be the best, all our products exceed regulations and standards to ensure you to move forward safely.

Sunik believes and is well known for innovation, quality performance and excellent customer service.

Sunik is known for its excellent quality, packing and timely delivery.





CUB/SCOOTER

STREET

OFF-ROAD

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

SU-WAVE

Dimension(mm)	: 1900X670X1120
Net weight(kg)	: 90
Engine	: 110
Brake	: Drum/Drum
Start method	: Electric/kick
Displacement(ml)	: 106.7
Clutch Type	: Automatic wet multi-plate
Fuel Tank(L)	: 3.5
Ignition	: CDI



Classic

*Embracing life and
personal space*





CUB/SCOOTER

STREET

OFF-ROAD

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

SU110-CP

Dimension(mm) : 1930×730×1120
 Net weight(kg) : 86
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Drum/drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):107/4.8



SU125-CNC

Dimension(mm) : 1970×675×1115
 Net weight(kg) : 110
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : DISC/drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):120/5.2



SU125-K3

Dimension(mm) : 1970×700×1120
 Net weight(kg) : 100
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : DISC/drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):120/5.2





CUB/SCOOTER

STREET

OFF-ROAD

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

SU125-CU IV

Dimension(mm) : 1930×690×985
 Net weight(kg) : 62
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Drum/drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):120/5.2



SU125-CFC

Dimension(mm) : 1960×680×1080
 Net weight(kg) : 102
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : DISC/drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):120/5.2



SU125-CN

Dimension(mm) : 1970×700×1120
 Net weight(kg) : 100
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : DISC/drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):120/5.2



SU125-CV

Dimension(mm) : 1955×673×1097
 Net weight(kg) : 90
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Disc/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):120/5.2



SU110-CMA

Dimension(mm) : 1865×660×1100
 Net weight(kg) : 90
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Drum/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw): 107/4.8



SU125-CC

Dimension(mm) : 1920×800×1210
 Net weight(kg) : 95
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : DISC/drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):120/5.2



SU125-CNB

Dimension(mm) : 1970×675×1115
 Net weight(kg) : 110
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Disc/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):120/5.2



SU100-CM

Dimension(mm) : 1950×670×1058
 Net weight(kg) : 88
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Disc/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw): 97/4.6

SU125-J II

Dimension(mm) : 1950×690×1140
 Net weight(kg) : 95
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : DISC/drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):120/5.2





CUB/SCOOTER

STREET

OFF-ROAD

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

SU48Q-6

Dimension(mm) : 1830×725×1060
Net weight(kg) : 75
Engine Type : Single cylinder/4 stroke/air cool
Brake : Disc/Drum
Start method : Electric/kick
Displacement/Rated power(ml/kw):48/2.0



SU110-CA2

Dimension(mm) : 1930×690×985
Net weight(kg) : 92
Engine Type : Single cylinder/4 stroke/air cool
Brake : Disc/Drum
Start method : Electric/kick
Displacement/Rated power(ml/kw): 107/4.8



SU110

Dimension(mm) : 1890×685×1080
Net weight(kg) : 90
Engine Type : Single cylinder/4 stroke/air cool
Brake : Drum/Drum
Start method : Electric/kick
Displacement/Rated power(ml/kw):107/4.8





CUB/SCOOTER

STREET

OFF-ROAD

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

SU110-4

Dimension(mm) : 1905×650×1050
Net weight(kg) : 90
Engine Type : Single cylinder/4 stroke/air cool
Brake : Disc/Drum
Start method : Electric/kick
Displacement/Rated power(ml/kw):107/4.8



SU125-2E

Dimension(mm) : 1900×667×1050
Net weight(kg) : 92
Engine Type : Single cylinder/4 stroke/air cool
Brake : Disc/Drum
Start method : Electric/kick
Displacement/Rated power(ml/kw): 120/5.2



SU125-4E

Dimension(mm) : 1900×667×1050
Net weight(kg) : 98
Engine Type : Single cylinder/4 stroke/air cool
Brake : DISC/drum
Start method : Electric/kick
Displacement/Rated power(ml/kw):120/5.2



SU125-7E II

Dimension(mm) : 1900×680×1000
 Net weight(kg) : 85
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Disc/Disc
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):120/5.2



SU125-CU

Dimension(mm) : 1930×690×985
 Net weight(kg) : 92
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Disc/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw): 120/5.2

SU110-CMC

Dimension(mm) : 1900×700×1080
 Net weight(kg) : 94
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Drum/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):107/4.8





CUB/SCOOTER

STREET

OFF-ROAD

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

SU125-6E

Dimension(mm) : 1930×680×1020
 Net weight(kg) : 95
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Disc/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):120/5.2



SU125-RS

Dimension(mm) : 2010×700×1100
 Net weight(kg) : 95
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Disc/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw): 120/5.2



SU125-CB6

Dimension(mm) : 1960×670×980
 Net weight(kg) : 90
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Disc/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):120/5.2





CUB/SCOOTER

STREET

OFF-ROAD

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

SU125-C9B

Dimension(mm) : 1920×655×1040
Net weight(kg) : 95
Engine Type : Single cylinder/4 stroke/air cool
Brake : Disc/Disc
Start method : Electric/kick
Displacement/Rated power(ml/kw):120/5.2



SU125-RS2

Dimension(mm) : 2100×700×1100
Net weight(kg) : 95
Engine Type : Single cylinder/4 stroke
/air cool
Brake : Disc/Drum
Start method : Electric/kick
Displacement/Rated power(ml/kw):120/5.2



CUB/SCOOTER

STREET

OFF-ROAD

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

SU100-C2B

Dimension(mm) : 1900×680×1000
Net weight(kg) : 91
Engine Type : Single cylinder/4 stroke/air cool
Brake : Disc/Drum
Start method : Electric/kick
Displacement/Rated power(ml/kw):97/4.6



SU150-C7A

Dimension(mm) : 2100×700×1100
Net weight(kg) : 95
Engine Type : Single cylinder/4 stroke
/air cool
Brake : Disc/Disc
Start method : Electric/kick
Displacement/Rated power(ml/kw):149/7.5



CUB/SCOOTER

OFF-ROAD

STREET

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM



SU200(BROSS)

Dimension(mm)	: 2210×885×1160
Brake (Fr./Rr.)	: Disc/ Drum
Net Weight(kg)	: 117
Engine type	: CB/Single cylinder/ 4-stroke/air cool
Starting	: Electric/Kick
Engine displacement(ml/kw)	: 149/7.5

"Awesome
Unbelievable
Incredible.."

CROSS



CUB/SCOOTER

OFF-ROAD

STREET

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

SU250(NEW BROSS)

Dimension(mm) : 1980×785×1420
Brake (Fr./Rr.) : Disc/ Disc
Net Weight(kg) : 144
Engine type : 250CC/Air Cool/4Stroke
1Cylinder/balance shaft
Starting : Electric/Kick
Engine displacement(ml/kw):229.2

The road starts here
It never ends

CROSS

Technology of Emotions.





CUB/SCOOTER

OFF-ROAD

STREET

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

SU200GY-C7

Dimension(mm)	: 2100×780×1170
Brake (Fr./Rr.)	: Disc/ Disc
Wheel Type	: Spoke
Tyre size (Fr./Rr.)	: 110\70-17 130\70-17
Clutch	: Single
Engine displacement	: 198cc
Engine type	: 1-Cylinder,4-Stroke, air-cooled
Starting	: Electric/Kick
Ignition	: C.D.I
Engine Available	: 150cc,200cc

SU150-3

Dimension(mm)	: 2090×715×1280
Net weight(kg)	: 110
Engine Type	: Single cylinder/4 stroke /air cool
Brake	: Drum/Drum
Start method	: Electric/kick
Displacement/Rated power(ml/kw):	149/7.5

SU50-GY

Dimension(mm)	: 1540×760×995
Brake (Fr./Rr.)	: Disc/ Disc
Wheel Type	: Spoke wheel
Tyre size (Fr./Rr.)	: 2.50-14,2.50-12
Clutch	: Wet multi-plate type,manual
Piston displacement	: 49ml
Engine type	: 1-Cylinder,4-Stroke,air-cooled
Starting	: Electric/Kick
Ignition	: C.D.I
Engine Available	: 50cc,70cc



SU150GY-C5 III

Dimension(mm) : 2210×885×1160
 Net weight(kg) : 117
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Disc/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):149/7.5



SU125GY-C5A

Dimension(mm) : 2070×850×1160
 Net weight(kg) : 122
 Engine Type : CB/Single cylinder
 /4 stroke/air cool
 Brake : DISC/drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):124/6.8

SU200-GY8

Dimension(mm) : 270×850×1160
 Net weight(kg) : 125
 Engine Type : CGN/Single cylinder
 4 stroke/air cool
 Brake : Disc/Disc
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):196/10..5





CUB/SCOOTER

OFF-ROAD

STREET

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

SU200GY-CBA

Dimension(mm) : 2200×770×1160
 Net weight(kg) : 123
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Disc/Disc
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):196/10.5



SU200GY-2

Dimension(mm) : 2075×830×1135
 Net weight(kg) : 145
 Engine Type : 4 valve/Single cylinder
 /4 stroke/air cool
 Brake : DISC/drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):200.4/12.0

SU200GY-C5 II

Dimension(mm) : 2075×785×1170
 Net weight(kg) : 116
 Engine Type : Single cylinder/4 stroke
 /air cool
 Brake : DISC/drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):196/10.5



SU150-B

Dimension(mm) : 2150×850×1230
 Net weight(kg) : 110
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Disc/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):149/7.5



SU200GY-CE

Dimension(mm) : 2100×785×1170
 Net weight(kg) : 120
 Engine Type : Single cylinder/4 stroke
 /air cool
 Brake : DISC/drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):196/10.5



SU250GY

Dimension(mm) : 1905×650×1050
 Net weight(kg) : 135
 Engine Type : Single cylinder/4 stroke
 /air cool
 Brake : Disc/Disc
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):226/12.0



CUB/SCOOTER

OFF-ROAD

STREET

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

**SU- Z-ONE**

Dimension(mm)	:	2040×755×1045
Net weight(kg)	:	117
Engine	:	PY150;PB150; CBB150;CBB200
Brake	:	Front:Disc; Rear:Drum
Start method	:	Electric/kick Electronic
Displacement(ml/kw)	:	149;149.3;149.5, 198.8
Fuel Tank(L)	:	18



Top grade
configuration
and improved quality

★ **Tipo Pulsar**



CUB/SCOOTER

OFF-ROAD

STREET

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

SU300-NT

Dimension(mm) : 2020×730×1150
Net weight(kg) : 120
Engine Type : NT300/Single cylinder/4 stroke
/air cool
Brake : Disc/Drum
Start method : Electric/kick
Displacement/Rated power(ml/kw):270/14.0

**Tipo CG****SU150-CT**

Dimension(mm) : 2060×700×1030
Net weight(kg) : 130
Engine Type : Single cylinder/4 stroke
/water cool
Brake : Disc/Disc
Start method : Electric/kick
Displacement/Rated power(ml/kw):144.6/8.8



CUB/SCOOTER

OFF-ROAD

STREET

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM



SU150-CS

Dimension(mm) : 1960×740×120
Net weight(kg) : 135
Engine Type : Single cylinder/4 stroke/air cool
Brake : Disc/Disc
Start method : Electric/kick
Displacement/Rated power(ml/kw):149/7.5

SU200-CK

Dimension(mm) : 1975×770×1045
Net weight(kg) : 140
Engine Type : Single cylinder/4 stroke
/air cool
Brake : Disc/Drum
Start method : Electric/kick
Displacement/Rated power(ml/kw):196/10.5



Tipo FZ-16

SU50-CCA

Dimension(mm) : 2085×790×1120
 Net weight(kg) : 121
 Engine Type : Single cylinder/4 stroke
 /air cool/double muffler
 Brake : DISC/drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):149/7.5



SU50-16

Dimension(mm) : 2010×780×1110
 Net weight(kg) : 125
 Engine Type : Single cylinder/4 stroke
 /air cool
 Brake : DISC/drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):149/7.5



SU150-G

Dimension(mm) : 2100×740×1150
 Net weight(kg) : 140
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Disc/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):149/7.5





CUB/SCOOTER

OFF-ROAD

STREET

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

SU48Q-2

Dimension(mm) : 1970×710×1020
 Net weight(kg) : 82
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Drum/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):48/2.0



SU100-C41

Dimension(mm) : 1800×700×830
 Net weight(kg) : 85
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Drum/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):97/4.6



SU100-3

Dimension(mm) : 1840×810×1000
 Net weight(kg) : 90
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Drum/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):97/4.6





CUB/SCOOTER

OFF-ROAD

STREET

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

SU110-CE

Dimension(mm) : 2030×770×1080
 Net weight(kg) : 105
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Drum/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):107/4.8



SU150-2F

Dimension(mm) : 2020×730×1150
 Net weight(kg) : 120
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Disc/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):149/7.5



Tipo CG

SU150-CB

Dimension(mm) : 1980×720×1120
 Net weight(kg) : 113
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Disc/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):149/7.5



SU150-22

Dimension(mm) : 2010×720×1150
 Net weight(kg) : 115
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Disc/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):149/7.5



SU125

Dimension(mm) : 1935×710×1120
 Net weight(kg) : 110
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Drum/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):124/6.8



SU100-CK

Dimension(mm) : 1870×850×1230
 Net weight(kg) : 100
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Drum/Drum
 Start method : kick
 Displacement/Rated power(ml/kw):99.3/5.0





CUB/SCOOTER

OFF-ROAD

STREET

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

SU150-C4

Dimension(mm) : 1950×745×1030
 Net weight(kg) : 103
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Drum/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):149/7.5



SU100-C9

Dimension(mm) : 1950×760×1095
 Net weight(kg) : 85
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Drum/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):97/4.6



Tipo CG

SU125-C

Dimension(mm) : 1940×710×1122
 Net weight(kg) : 115
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Disc/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):124/6.8



SU125-10 II

Dimension(mm) : 2100×770×1100
 Net weight(kg) : 110
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Disc/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):124/6.8



SU125-10 (II)

Dimension(mm) : 2100×770×1100
 Net weight(kg) : 110
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Disc/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):124/6.8



SU150-CM

Dimension(mm) : 2050×740×1090
 Net weight(kg) : 123
 Engine Type : Single cylinder/4 stroke/air cool
 Brake : Drum/Drum
 Start method : Electric/kick
 Displacement/Rated power(ml/kw):149/7.5





CUB/SCOOTER

OFF-ROAD

STREET

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

SU150-CZ

Dimension(mm) : 1995×730×1045
Net weight(kg) : 118
Engine Type : Single cylinder/4 stroke/air cool
Brake : Disc/Drum
Start method : Electric/kick
Displacement/Rated power(ml/kw):149/7.5

**SU200-C5B**

Dimension(mm) : 2110×730×1135
Net weight(kg) : 144
Engine Type : Single cylinder/4 stroke/air cool
Brake : Disc/Drum
Start method : Electric/kick
Displacement/Rated power(ml/kw):196/10.5

**SU200-CA**

Dimension(mm) : 1960×730×800
Net weight(kg) : 130
Engine Type : 4 valve/Single cylinder/4 stroke/air cool
Brake : Drum/Drum
Start method : Electric/kick
Displacement/Rated power(ml/kw):200.4/12.0





CUB/SCOOTER

STREET

OFF-ROAD

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

SU300ZH

Dimension(mm) : 3070×1280×1300
Net weight(kg) : 370
Engine Type : Single cylinder/4 stroke/water cool
Brake : Drum/Drum
Start method : Electric/kick
Displacement/Rated power(ml/kw):270.1/14.0

**SU250ZH**

Dimension(mm) : 3720×1390×1670
Net weight(kg) : 398
Engine Type : Single cylinder/4 stroke
/Water cool
Brake : Drum/Drum
Start method : Electric/kick
Displacement/Rated power(ml/kw):226/12.0



CUB/SCOOTER

STREET

OFF-ROAD

TRICYCLE

SUNIK INTERNATIONAL PVT. LTD.

WWW.SUNIKMOTORS.COM

SU200ZH

Dimension(mm) : 3010×1330×1940
Net weight(kg) : 330
Engine Type : Single cylinder/4 stroke/air cool
Brake : Drum/Drum
Start method : Electric/kick
Displacement/Rated power(ml/kw):196/10.5



SU250ZH

Dimension(mm) : 3720×1390×1670
Net weight(kg) : 398
Engine Type : Single cylinder/4 stroke
/Water cool
Brake : Drum/Drum
Start method : Electric/kick
Displacement/Rated power(ml/kw):226/12.0



SUNIK

International Pvt. Ltd.

Email : sales@sunikmotors.com, sunikexports@gmail.com

Web:- www.sunikmotors.com, www.suniktires.com, www.sunikexports.com

HONG KONG OFFICE

22/F, CHEONG SUN TOWER,
116-118 WINT LOK STREET
SHEUNG WAN, HONG KONG
TEL: (852) 25430297
FAX : (852) 2543366

CHINA OFFICE

ROOM 322, TIME HERO BLDG NO.1,
ZHONGSHAN WEST ROAD,
HUITOU STREET,
HAISHU DISTRICT, NINGBO, CHINA
TEL: (86) 574-87165444,

INDIA OFFICE

DSM 338, DLF TOWER,
SHIVAJI MARG, NEW DELHI
INDIA-110015
TEL : (+91) 9711398498

ECUADOR OFFICE

LUQUE Y PEDRO CARBO (ESQUINA),
EDIFICIO JOSE MARIA SAENAZ, 4TO PISO,
OFICINA#401,
GUYAQUIL - ECUADOR
TEL : (593-4) 2327382